
The following products are protected by patents in the United States and may be protected in other jurisdictions of the world. This webpage is provided to satisfy the virtual patent marking provisions of the America Invents Act and to provide notice under 35 U.S.C. § 287(a). The following list of products and services is not be all inclusive, and other products and services not listed here may be protected by one or more patents in the United States and elsewhere, and the below products may be protected by additional patents in the United States and/or elsewhere. Additional patents may be pending in the United States and elsewhere.

## **ANOVA®**

## **Food Preparation**

The products and associated patents listed here are not exhaustive and other patents may be associated with the listed products. Additional products not listed here may be associated with these or other patents.



## **Immersion Cookers**

The products and associated patents listed here are not exhaustive and other patents may be associated with the listed products. Additional products not listed here may be associated with these or other patents.

Product	Model No.	Feature	Pat. No,
Anova Precision® Cooker Nano		Anova PC Nano Design	D862154
Anova Precision® Cooker Nano Bundle		IC Bottom Flow Plate Design	D874210
		Impeller Below Heater	10,136,749
ANGEL CONTROL OF THE PROPERTY		Rotating Outlet	10455967

Product	Model No.	Feature	Pat. No,
Anova Precision® Cooker		PC Holder and Tube	D891848
Anova Precision® Cooker Bundle		PC Holder	D893239
		IC Bottom Flow Plate Design	D874210
		Impeller Below Heater	10,136,749
To a series and the series are the series and the series and the series are the series are the s		Rotating Outlet	10455967

Product	Model No.	Feature	Pat. No,
Anova Precision® Cooker Pro		Anova PC Pro Design	D853777
Anova Precision® Cooker Pro Bundle		Anova PC Pro Display	D869234
		PC Holder and Tube	D891848
		PC Holder	D893239
		IC Bottom Flow Plate Design	D874210
		Rotating Outlet	10455967
		Impeller Below Heater	10,136,749
12 de la lactura de la constante de la constan			